



DANIEL

SAFETY PRODUCTS

The Serious Source for Safety

www.danielsafetyproducts.com



authorized wholesaler

We invite you to view our new Daniel Safety Products Catalog. We hope you find it more informative, better organized and easier to use – all areas have been enhanced and redesigned. With a solid track record and an unwavering commitment to safety, we believe Daniel Safety Products has never been better prepared to serve your needs. We offer available solutions to your safety clothing needs.

We are very excited about our new Daniel Family of Product lines, DanGuardPlus™, DanGuardComfort™, FlashGuard™, and ChemGuard™. You will find that we offer a broad range of readily-available products at competitive price points.

However, please realize that Daniel Safety Products is much more than the products we manufacture and sell. We are skilled professionals dedicated to providing exceptional customer service in all areas including: sales, technical support, sales fulfillment, shipping and delivery.

As our slogan says, “The Serious Source for Safety” we provide you with the products you need when you need them, backed by experts ready to discuss your application and specify the right products for your specific need. At Daniel Safety Products, we know more about safety than just the price.

We know you have choices and as always, thank you for your business and continued interest in Daniel Safety Products. We look forward to working with you to gain your trust and recognition as the Serious Source for Safety.

The Daniel Safety Products Team



AUTHORIZED
WHOLESALE

Table of Contents

Family of Fabrics 2

General Protection Products

DanGuard™ 3

DanGuardPlus™ 6

DanGuardComfort™ 7

DanSafe™ 8

SkidGuard™ 10

DanKleen™ 11

Polypropylene 16

Food Handling 17

Tyvek® 400 18

Flame Resistant Products

FlashGuard™ 13

Mid-Range Chemical Protection Products

ChemGuard™ 14

Tychem® 2000 20

Tychem® 4000 22

Tychem® 6000 23

Tychem® 9000 24

Tychem® 10000 25

Reclaimed Rags 27

Han-D-Wipes™ 27

Cross Reference Part Numbers

Daniel, Dupont® and Lakeland 28

Sizing Charts 30

Seam Types 30



DANIEL

SAFETY PRODUCTS





DanGuard™
Coveralls, Lab Coats, Shirts, Pants & Accessories

DanGuard™ is a general-purpose protective material that can be used in non-hazardous application and environments. The DanGuard™ fabric is manufactured with FS technology, which is comprised of a microporous film and polypropylene. The benefits of FS technology are that it allows moisture to dissipate while offering durability that does not compromise comfort. DanGuard™ offers comfort, durability and superior splash protection as a cost-effective alternative fabric for non-hazardous environments.

Great for Applications Such As:

Asbestos Abatement, Light Chemical Splash / Paint Spraying, Pesticide Spraying Fiberglass / Boat Manufacturing, and Laboratories

DanGuardPlus™
Coveralls

We created a new level of protection with the DanGuardPlus™ line of protective apparel. The innovative material has a three-layer fabric SFS construction. The SFS has an additional middle layer of microporous film which allows body heat to dissipate while protecting against many dry particulates and liquids.

Great for Applications Such As:

Emergency Medical Response, Meth Lab Clean Up, Animal Testing and Research, Fiberglass Manufacturing, Forensics, and Tank Cleaning

DanGuardComfort™
Coveralls

DanGuardComfort™ offers the general-purpose protection and durability of our DanGuard™ line along with a breathable polypropylene back panel for added comfort.

Great for Applications Such As:

Asbestos Abatement, Light Chemical Splash / Paint Spraying, Pesticide Spraying Fiberglass / Boat Manufacturing, and Laboratories

DanSafe™
Coveralls, Shoe Covers, Boot Covers, Sleeves & Aprons

DanSafe™ is a spunbond polypropylene with a polyethylene coating that provides excellent fluid protection. DanSafe offers durability and is lightweight, soft and low linting. DanSafe™ offers worker protection from spray and other liquids, economical protection for non-hazardous applications.

Great for Applications Such As:

Paint Spray, Pesticide Spray Mold / Asbestos Abatement and General Maintenance

DanKleen™
Coveralls, Shoe Covers, Boot Covers, Sleeves & Aprons

DanKleen™ is a unique trilaminate that is comprised of layers of spunbond polypropylene, meltblown polypropylene, and spunbond polypropylene compressed together to create a unique fabric. DanKleen™ offers splash protection, lightweight breathability, garment designed with comfort in mind.

Great for Applications Such As:

Medical, Food Processing, JanSan and General Maintenance

FlashGuard™
Flame Retardant Coveralls

FlashGuard™ is a lightweight nonwoven single use coverall designed to be worn in applications where the risk of sparks are possible. The intent of FlashGuard FR™ is to minimize the damage to the user's primary FR clothing from dirt and grime while still having a fire retardant outer shell. One major advantage in addition to being fire retardant, our FlashGuard™ is also water resistant, which is a huge plus in many industries. FlashGuard™ is not intended to be used as primary fire protection. It provides protection for the user's primary FR garment, in turn prolonging the life of said garment and showing cost savings all around.

Great for Applications Such As:

Welding, Tank Cleaning, Oil Refining, Utilities, Grinding and Manufacturing

ChemGuard™
Coveralls

ChemGuard™ is a unique, cost-effective nonwoven fabric designed to be used in many industrial and chemical cleanup applications. The proprietary PE barrier film coated onto a continuous PP filament nonwoven provides excellent protection against pesticides, inorganic acids, alkalies, bases, and moisture. We offer serged seams and bound seams, depending on your particular needs. These yellow garments are high visibility and will meet your lightweight splash protection needs.

Great for Applications Such As:

Industrial Cleanup and Chemical Cleanup

SkidGuard™
Shoe Covers & Boot Covers

SkidGuard™ is a unique PE Coated Fabric with superior skid resistance. Excellent for most non-hazardous applications such as clean rooms and pharmaceutical users.

Polypropylene

Polypropylene is a breathable protective wear for non-hazardous workplaces. Its porous construction offers breathability that makes the user cool and comfortable while offering economical protection from dirt and grime.

Tyvek® 400

Tyvek® 400 spunbonded olefin by DuPont® is a unique material that imparts high strength, flexibility, durability, great barrier qualities and comfort to protective clothing.

Tychem® 2000

Tychem® 2000 polyethylene-coated garments provide excellent lightweight splash protection from many inorganic acids and other liquid chemicals. Tychem® 2000 is a combination of Tyvek® fabric and a 1.25 mil coating of polyethylene. It offers an economical choice for use in many industrial plants and chemical cleanups.

Tychem® 4000

Tychem® 4000 is a laminated fabric incorporating DuPont's Tyvek® spunbonded olefin and Dow Chemical's Saranex® 23-P film. Tychem® 4000 provides reliable and economical protection against a broad spectrum of chemicals. Workers who are mixing, loading or applying agricultural chemicals, engaged in clean-up operations, and working in general industrial environments, Tychem® 4000 is a top choice.

Tychem® 6000

Tychem® 6000 represents a remarkable step forward in the provision of individual protection for both armed forces and civilian populations in areas where chemical and/or biological warfare could take place, or where there is a risk of contamination from industrial accidents. Tychem® 6000 provides a tough and safe barrier to all known chemical warfare agents in liquid, gas or aerosol formats and represents the first simple, economical and disposable material for individual protection suits.

Tychem® 9000

Tychem® 9000 is yellow for high visibility. Whether there are bright or dim lights, Tychem® 9000 can be seen. It offers tear, puncture and abrasion resistance garments that are soft and lightweight, allowing workers to move with ease.

Tychem® 10000

Tychem® 10000 garments are the first line of defense in hazardous materials. They are extremely durable and puncture resistant. Tychem® 10000 has been tested against 284 chemicals. Tychem® 10000 garments are lime-yellow in color, highly visible.

Tyvek®, Tychem®, and Kevlar® are registered trademarks of E.I. du Pont de Nemours. Viton® is a registered trademark of DuPont Dow Elastomers. North Silvershield® is a registered trademark of North Safety. Saranex® is a registered trademark of Dow Chemical. DanGuard™, DanSafe™, Dankleen™, FlashGuard™, ChemGuard™ and SkidGuard™ are trademarks of Daniel Safety Products.



DANGUARD™

PROTECTIVE APPAREL



DanGuard™ from Daniel Safety Products is a general-purpose material that can be used in non-hazardous applications and environments. The DanGuard™ fabric is manufactured with FS technology, which is comprised of a microporous film and polypropylene. The benefits of FS technology are that it allows moisture to dissipate while offering durability and superior splash protection as a cost effective alternative fabric for non-hazardous environments. Garments made from DanGuard™ are good in many commercial applications such as ...

- **Asbestos Abatement**
- **Paint and Paint Spraying**
- **Fiberglass / Boat Manufacturing**
- **Light Chemical Pesticide Spraying**
- **Laboratories**

TYPICAL PHYSICAL PROPERTIES

TEST METHOD	ASTM STANDARD	RESULTS
Tear Strength	ASTM D5733-95	MD 11.1 lbs. CMD 5.8 lbs.
Ball Burst	ASTM D3787-89	24.03 PSI
Breaking Strength	ASTM D5034-95	82.9%
Breaking Strength	ASTM D5034-95	Elongation 123% MD 31.7 CMD 23.1 lbs.
Hydrostatic Test	ATCC 127-95	161.0 CM
Air Permeability	ASTM D737-96	Below 1.23 cFN
Flammability	16 CFR 1610 Class I	Pass
Water Vapor Transmission Rate	ASTM E96-95	744

Beach - 5% Household	Pass
Motor Oil (40W)	Pass
Mineral Oil	Pass
Diazinon (4oz. Per Gallon)	Pass
Sodium Hydroxide	Pass
Hydraulic Jack Oil	Pass
Isocyanate Based Paint Hardener	Pass
Blood Born ASTM F1670-98	Pass






DANGUARD™

PROTECTIVE APPAREL

DSP120

coverall


zipper front
open cuffs
SM - 5X
white
25 per case
10 lbs.



DSP122

coverall


zipper front
attached hood
skid resistant boots
elastic wrists
elastic ankles
SM - 5X
white
25 per case
10 lbs.



DSP125

coverall


zipper front
elastic wrists
elastic ankles
SM - 5X
white
25 per case
10 lbs.



DSP127

coverall


zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
white
25 per case
10 lbs.



DSP300

lab coat


snap front
no pockets
open cuffs
SM - 5X
white
30 per case
10 lbs.



DSP301

lab coat


snap front
two pockets
open cuffs
SM - 5X
white
30 per case
10 lbs.



DSP303

shirt


snap front
long sleeves
open cuffs
SM - 5X
white
50 per case
12 lbs.



DSP347

lab coat


snap front
no pockets
elastic wrists
SM - 5X
white
30 per case
10 lbs.



DSP350

pants


elastic waist
open cuff
white
50 per case
10 lbs.



DSP386

hood


elastic face opening
shoulder length
white
100 per case
7 lbs.



DSP440

shoe covers


white
100 pair per case
7 lbs.



DSP444

boot covers

white
100 pair per case
7 lbs.



DSP445NS

boot covers


grey
100 pair per case
7 lbs.



DSP450

shoe covers


grey
100 pair per case
7 lbs.



DSP470

apron


bibbed
bound neck
bound waist ties
28"x 36"
white
100 per case
7 lbs.



DSP471

apron


bibbed
bound neck
bound waist ties
28"x 44"
white
100 per case
8 lbs.



DSP500

sleeve protectors


elastic both ends
18"
white
100 pair per case
7 lbs.



DSP904V

shoe covers

vinyl sole
white
100 pair per case
7 lbs.





DANGUARD PLUS™

PROTECTIVE APPAREL



The innovative material of DanGuardPlus™ has a three-layer fabric SFS construction. The SFS has an additional middle layer of microporous film which allows body heat to dissipate while protecting against many dry particulates and liquids.

- Emergency Medical Response
- Meth Lab Clean Up
- Animal Testing and Research
- Fiberglass Manufacturing
- Forensics
- Tank Cleaning



PRODUCT SPECIFICATIONS

Product Code.....	DGP
Materials.....	Three Layer Fabric SFS Construction
Tensile Strength	17.6 lbf length, 27.4 lbf width
Tearing Strength	11.4 lbf width yarns torn
Fabric Weight	1.9 oz/yd ²
Fabric Thickness.....	0.30 mm
Water Vapor Transmission	2789 grams per sq. meter per 24 hours

DGP120

coverall

zipper front
blue
25 per case



DGP125

coverall

zipper front
elastic wrist
elastic ankles
blue
25 per case



DGP127

coverall


zipper front
attached hood
elastic wrist
elastic ankles
blue
25 per case



DGP122

coverall

zipper front
attached hood
attached boots
elastic wrists
blue
25 per case





DANGUARDCOMFORT™

PROTECTIVE APPAREL



DanGuardComfort™ offers the general-purpose protection and durability of our DanGuard™ line along with a breathable polypropylene back panel for added comfort.

- **Asbestos Abatement**
- **Paint and Paint Spraying**
- **Fiberglass / Boat Manufacturing**
- **Light Chemical Pesticide Spraying**
- **Laboratories**




TYPICAL PHYSICAL PROPERTIES

TEST METHOD	ASTM STANDARD	RESULTS
Tear Strength	ASTM D5733-95	MD 11.1 lbs. CMD 5.8 lbs.
Ball Burst	ASTM D3787-89	24.03 PSI
Breaking Strength	ASTM D5034-95	82.9%
Breaking Strength	ASTM D5034-95	Elongation 123% MD 31.7 CMD 23.1 lbs.
Hydrostatic Test	ATCC 127-95	161.0 CM
Air Permeability	ASTM D737-96	Below 1.23 cFN
Flammability	16 CFR 1610 Class I	Pass
Water Vapor Transmission Rate	ASTM E96-95	744

DGC120

coverall


zipper front
white/blue
25 per case



DGC125

coverall


zipper front
elastic wrist
elastic ankles
white/blue
25 per case



DGC127

coverall

zipper front
attached hood
elastic wrist
elastic ankles
white/blue
25 per case



DGC122

coverall

zipper front
attached hood
attached boots
elastic wrists
white/blue
25 per case





DANSafe™

PROTECTIVE APPAREL

DanSafe™ is a spunbond polypropylene with a polyethylene coating that provides excellent fluid protection. DanSafe™ offers durability and is lightweight, soft and low linting. DanSafe™ offers worker protection from spray and other liquids, economical protection for non-hazardous application such as ...



- Paint Spray
- Pesticide Spray
- Mold /Asbestos Abatement
- General Maintenance


TYPICAL PHYSICAL PROPERTIES

TEST METHOD	ASTM STANDARD	RESULTS
Grab Breaking Strength	ASTM D3776-96	21.4
Ball Burst	ASTM D3787-89	22.5 PSI
Puncture Propagation	ASTM D2582	CD 30.7
Tear Resistance		MD 25.6
Hydrostatic Test	ATTCC127-95	68 CM
Flammability	16 CFM 1610 Class 1	Pass

40120

coverall


zipper front
open cuffs
white
25 per case
10 lbs.



40122

coverall


zipper front
attached hood
elastic wrists
elastic ankles
elastic back
SM - 5X
white
25 per case
10 lbs.



40125

coverall


zipper front
elastic wrists
elastic ankles
SM - 5X
white
25 per case
10 lbs.



40127

coverall


zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
white
25 per case
10 lbs.



40300

lab coat


snap front
open cuff
SM - 5X
white
30 per case
10 lbs.



40301

lab coat


snap front
two pockets
open cuff
SM - 5X
white
30 per case
10 lbs.



40470

apron


bibbed
bound neck
bound waist ties
28"x 36"
SM - 5X
white
100 per case
8 lbs.



40500

sleeves


18"
elastic both ends
white
100 pair per case
7 lbs.



40440

shoe cover


elastic top
white
150 pair per case
8 lbs.



19440-XL
19440-2XL

shoe cover


elastic top
polyethylene
blue
150 pair per case
8 lbs.



40905V

boot cover

vinyl sole
white
100 pair per case
8 lbs.





SKID GUARD

SHOE COVERS



Stick with

SKID GUARD

THE SOLE OF SKID RESISTANCE

You be the judge and compare the skid resistance of **SKID GUARD** to the resistance of other brands.



From the Lab to the Landfill

Available in blue and white


DSP SkidGUARD™ Shoe Covers Product Specifications

PRODUCT CODE.....	17440BL 17440WH
MATERIAL.....	NONWOVEN POLYPROPYLENE TREATED WITH SKID GUARD™ ANTI-SKID TREATMENT 60 GM
SHELF LIFE.....	24 MONTHS <i>(established at this time)</i>
COLOR.....	BLUE AND WHITE
PACKAGING.....	150 PAIR PER CASE; 3 BAGS OF 100
BACTERIAL FILTRATION.....	MEETS OR EXCEEDS MOST EFFICIENCY STANDARDS
AIR PERMEABILITY.....	85%
SUGGESTED USE.....	GENERAL MEDICAL AND NON-MEDICAL PROTECTION; ALL MATERIALS ARE NON-TOXIC
TEMPERATURE.....	5° C TO 40° C
HUMIDITY.....	BELOW 80%
SUNLIGHT.....	DO NOT EXPOSE TO DIRECT SUNLIGHT
FREQUENCY.....	KEEP AWAY FROM HIGH FREQUENCY EQUIPMENT
STERILIZATION.....	-
GAMMA RADIATION.....	NO
AUTOClave.....	NO
OXIRANE.....	YES

17440BL

shoe cover


elastic top
blue
150 pair per case
8 lbs.



17440WH

shoe cover


elastic top
white
150 pair per case
8 lbs.



40445NS

boot cover

elastic ankles
white
50 pair per case
8 lbs.





DANKKLEEN™

PROTECTIVE APPAREL



DankKleen™ is a unique trilaminate that is comprised of layers of spunbond polypropylene, meltblown polypropylene, and spunbond polypropylene together to create a unique fabric. DankKleen™ offers splash protection, lightweight breathability, garment designed with comfort in mind. These are used in the following applications ...

- **Medical**
- **JanSan**
- **Food Processing**
- **General Maintenance**



TYPICAL PHYSICAL PROPERTIES

TEST METHOD	ASTM STANDARD	RESULTS
Basis Weight	ASTM D751	1.56 oz/yd ²
Thickness	ASTM D1117	N/A
Breaking Strength	ASTM D5034-95	MD 27 lbs. CD 9 lbs.
Tear Strength	D1117	MD 7 lbs. CD 9 lbs.
Surface Resistivity	ASTM D257	<10
Flammability	16CFR 1610	Class 1
Water Vapor Transmission Rate	TAPPI T523	2412 g/m ² /Day





DANKLEEN™


PROTECTIVE APPAREL



20120
21120

coverall


zipper front
open cuffs
SM - 5X
white
blue
25 per case
10 lbs.



20122
21122

coverall


zipper front
attached hood
elastic wrists
elastic ankles
elastic back
SM - 5X
white
blue
25 per case
10 lbs.



20125
21125

coverall


zipper front
elastic wrists
elastic ankles
elastic back
SM - 5X
white
blue
25 per case
10 lbs.



20127
21127

coverall


zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
white
blue
25 per case
10 lbs.



20324
21324

lab coat


snap front
pocket
knit cuffs
SM - 5X
white
blue
30 per case
10 lbs.



21325

lab coat


snap front
3 pockets
knit collar
knit cuffs
blue
30 per case
10 lbs.



21347

lab coat

snap front
elastic wrists
SM - 5X
blue
30 per case
10 lbs.



DANIEL

SAFETY PRODUCTS





FLASH-GUARDFR™

PROTECTIVE APPAREL



FlashGuard™ is a lightweight nonwoven single use coverall designed to be worn in applications where the risk of sparks are possible. The intent of FlashGuard FR™ is to minimize the damage to the user's primary FR clothing from dirt and grime while still having a fire retardant outer shell. One major advantage in addition to being fire retardant, our FlashGuard™ is also water resistant, which is a huge plus in many industries. FlashGuard™ is not intended to be used as primary fire protection. It provides protection for the user's primary FR garment, in turn prolonging the life of said garment and showing cost savings all around.

- Welding
- Tank Cleaning
- Oil Refining
- Utilities
- Grinding
- Manufacturing




PRODUCT SPECIFICATIONS

Product Code.....	FGF
Materials.....	FR-Treated SMS
Basis weight.....	1.56 oz/yd ²
Sizing Standard.....	ANSI/ISEA 101-1996
Flammability.....	NFPA 701-10-PASS
Flammability.....	16 CFR 1610 Class 1 DNI-(Did not Ignite)
Available sizes.....	LG-5X
Case Pack	25 each

FGF122

coverall


zipper front
storm flap
attached hood
attached boots
elastic wrists



FGF125

coverall


zipper front
storm flap
elastic wrists
elastic ankles



FGF127

coverall

zipper front
storm flap
attached hood
elastic wrists
elastic ankles





CHEM-GUARD™

PROTECTIVE APPAREL

ChemGuard™ is a unique, cost effective nonwoven fabric designed to be used in many industrial and chemical cleanup applications. The proprietary PE barrier film coated onto a continuous PP filament nonwoven provides excellent protection against pesticides, inorganic acids, alkalis, bases and moisture. We offer serged seams and bound seams, depending on your particular needs. These yellow garments are high visibility and will meet your lightweight splash protection needs.

■ Industrial Cleanup


■ Chemical Cleanup



CGS120 serged
CGB120 bound

coverall


zipper front
yellow
25 per case



CGS125 serged
CGB125 bound

coverall


zipper front
elastic wrist
and ankles
yellow
25 per case



CGS428 serged
CGB428 bound

coverall


zipper front
attached hood
elastic wrist
elastic ankles
yellow
25 per case



CGS414 serged
CGB414 bound

coverall

zipper front
attached hood
attached boots
elastic wrists
yellow
25 per case



PRODUCT SPECIFICATIONS

Chem-Guard™ Coveralls

Physical Property	PGITest Methods	Units	PGI Chem 1	Physical Property	Case#
Weight	ASTM D3776	osy	2.4	Dichloromethane	75-09-2
Bulk	ASTM D5729	mil	13	Dimethylformamide	68-12-2
MD Tensile (Grab)	ASTM D5034	lb/in	34	50% Sodium Hydroxide	1310-73-2
CD Tensile (Grab)	ASTM D5034	lb/in	28	93% Sulfuric Acid	7664-93-9
MD Tear Strength (Trapezoid)	ASTM D5733	lb/in	9.0	Toluene	108-88-3
CD Tear Strength (Trapezoid)	ASTM D5733	lb/in	14.0	Acetone	67-64-1
Hydrostatic Head	AATCC 127	em	>400	Acetonitrile	75-05-8
Bursting Strength (Mullen Burst)	ASTM D 3786	psi	44	Carbon Disulfide	75-15-0
Pin Hole	-	count	0	Diethylamine	109-89-7
Flammability	16CFR1610	sec	Class 1	Ethyl Acetate	141-78-6
Static Decay - 50% RH	1ST 40.2	sec	0.01	n-Hexane	110-54-3
				Methanol	67-56-1
				Nitrobenzene	98-95-3
				Tetrachloroethylene	127-18-4
				Tetrahydrofuran	109-99-9

Permeation Resistance ASTM F739		Chemical Peneatration ASTM F903
Chem-Guard™ PE Chemical Protection Fabric		Chem-Guard™ PE Chemical Protection Fabric
Average Normalized Breakthrough Time (min)	Average Steady State Permeation (ug)/cm ² /min	Final Results
Immediate	315	PASS
Immediate	1.27	PASS
ND	ND	PASS
ND	ND	PASS
Immediate	352	PASS
Immediate	4.35	PASS
Immediate	1.24	PASS
Immediate	27.7	PASS
Immediate	535	PASS
Immediate	55.6	PASS
Immediate	214	PASS
Immediate	1.99	PASS
Immediate	14.7	PASS
Immediate	298	PASS
Immediate	60.7	PASS

POLYPROPYLENE

COVERALLS, LAB COATS, AND SHOE COVERS



DANIEL
SAFETY PRODUCTS


Polypropylene is a breathable protective wear for non-hazardous workplaces. Its porous construction offers breathability that makes them cool and comfortable, while offering economical protection from dirt and grime. Polypropylene can be used for the following applications ...

- Poultry
- Poultry Processing
- Meat Processing
- General Maintenance

30120
31120

coverall


zipper front
open cuffs
SM - 5X
white
blue
25 per case
7 lbs.



30122
31122

coverall


zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
white
blue
25 per case
7 lbs.



30125
31125

coverall


zipper front
elastic wrists
elastic ankles
SM - 5X
white
blue
25 per case
7 lbs.



30127
31127

coverall

zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
white
blue
25 per case
7 lbs.



30300
31300

lab coat


snap front
open cuffs
SM - 5X
white
blue
30 per case
7 lbs.



30301
31301

lab coat


snap front
two pockets
open cuffs
SM - 5X
white
blue
30 per case
7 lbs.



30347

lab coat

snap front
elastic wrists
SM - 5X
white
30 per case
10 lbs.



3044ONS
3144ONS

shoe cover

elastic top
non-skid
white
blue
150 pair per case
10 lbs.



FOOD HANDLING


- Bouffants
- Hairnets
- Beard Covers
- Aprons
- Gowns
- Sleeves
- Boot Covers



30321 30324
31321 31324

bouffant

polypropylene
21" white
21" blue
24" white
24" blue
1000 per case
8 lbs.



11321
11324

hairnet

nylon
21" white
24" white
1000 per case
8 lbs.




available in other colors

30390

beard cover


polypropylene
white
1000 per case
8 lbs.



PE46W
PE46B

apron


1 mil
28" x 46"
white
blue
1000 per case
38 lbs.



BVH55
BV55

apron


vinyl
blue
6 mil
35" x 55"
hemmed
unhemmed
6 dozen per case
30 lbs.



PE45B
PE55B

gown


thumb loop
45" blue
100 per case
35 lbs.
thumb loop
55" blue
100 per case
36 lbs.



CPB62X

boot covers


6 mil
tie top
clear
250 per case
38 lbs.



PE16W
PE16B

sleeves


1 mil
16"
white
blue
1000 pair per case
17 lbs.



PE18W
PE18B

sleeves

1 mil
18"
white
blue
2000 per case
19 lbs.



TYVEK® 400

**COVERALLS, LAB COATS, PANTS, SHIRTS,
APRONS, SHOE COVERS, BOOT COVERS,
SLEEVES AND HOODS**




Tyvek® 400 is a one-of-a-kind inherent barrier, providing superior protection from challenging dry particles like asbestos, lead paint, dirt, dust, and light liquid splash. Yet the breathability of Tyvek® 400 adds worker comfort, by allowing air and moisture vapor to pass through. Abrasion and tear resistant, lightweight and comfortable, Tyvek® 400 garments are proven to be a superior combination of barrier, durability, and breathability.

FC450S

shoe covers


elastic top
skid resistant
grey
100 pair per case
8 lbs.



FC454S

boot covers


elastic top
skid resistant
universal
white
50 pair per case
8 lbs.



TY120S

coverall


zipper front
open cuffs
SM-5X
white
25 per case
7 lbs.



TY122S

coverall


zipper front
attached hood and
skid resistant boots
elastic wrists
elastic ankles
SM - 5X
white
25 per case
12 lbs.



TY125S

coverall


zipper front
elastic wrists
elastic ankles
SM - 5X
white
25 per case
8 lbs.



TY127S

coverall

zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
white
25 per case
10 lbs.



TY210S

lab coat

snap front
fold down collar
no pockets
open cuffs
SM - 5X
white
30 per case
10 lbs.






TY211S

lab coat


snap front
fold down collar
elastic wrists
no pockets
SM - 5X
white
30 per case
10 lbs.



TY212S

lab coat


snap front
fold down collar
open cuffs
two pockets
SM - 5X
white
30 per case
10 lbs.



TY273B

apron


bib style
bound neck
bound waist ties
28" x 36"
white
100 per case
10 lbs.



TY303S

shirt


snap front
fold down collar
open cuffs
SM - 5X
white
50 per case
10 lbs.



TY350S

pants


elastic waist
SM - 5X
white
50 per case
10 lbs.



TY450S

shoe covers


elastic top
universal
white
100 pair per case
8 lbs.



TY454S

boot covers


elastic top
universal
white
50 pair per case
8 lbs.



TY500S

sleeves


elastic openings
18"
white
100 pair per case
6 lbs.



TY657S

hood

shoulder length
elastic face opening
white
100 per case
9 lbs.



TYCHEM[®] 2000



SERGED SEAM COVERALLS, SHIRTS, PANTS, BOUND SEAM COVERALLS, SLEEVES, APRONS AND SEALED SEAM COVERALLS





Tychem[®] 2000 polyethylene-coated garments provide excellent lightweight splash protection from many inorganic acids and other liquid chemicals. Tychem[®] 2000 is a combination of Tyvek[®] fabric and a 1.25 mils coating of polyethylene. It offers an economical choice for use in many industrial plants and chemical cleanups.

QC120B

coverall


bound seams
zipper front
SM - 5X
yellow
12 per case
10 lbs.



QC120S

coverall



serged seams
zipper front
open cuffs
SM - 5X
yellow
12 per case
10 lbs.



QC120T

coverall


sealed seams
zipper front
elastic wrists
elastic ankles
SM - 5X
yellow
4 per case
8 lbs.



QC122B

coverall


bound seams
zipper front
attached hood
attached sock boots
elastic wrists
SM - 5X
yellow
12 per case
13 lbs.



QC122S

coverall


serged seams
zipper front
attached hood
attached sock boots
elastic wrists
SM - 5X
yellow
12 per case
12 lbs.



QC122T

coverall


sealed seams
zipper front
attached hood
sock boots w/flaps
elastic wrists
SM - 5X
yellow
4 per case
10 lbs.



QC125B

coverall


bound seams
zipper front
elastic wrists
elastic ankles
SM - 5X
yellow
12 per case
12 lbs.



QC125S

coverall

serged seams
zipper front
elastic wrists
elastic ankles
SM - 5X
yellow
12 per case
10 lbs.



TYCHEM[®] 2000


CONTINUED



QC125T

coverall



sealed seams
zipper front
elastic wrists
elastic ankles
SM - 5X
yellow
4 per case
8 lbs.



QC127B

coverall


bound seams
zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
yellow
12 per case
12 lbs.



QC127S

coverall


serged seams
zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
yellow
12 per case
9 lbs.



QC127T

coverall


sealed seams
zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
yellow
4 per case
8 lbs.



QC273B

apron

bound seams
bound neck
bound waist ties
28" x 36"
yellow
100 per case
10 lbs.



QC275B

apron

bound seams
bound snap neck
waist ties
attached long sleeves
elastic wrists
28" x 44"
yellow
25 per case
12 lbs.



QC303S

shirt


serged seams
snap front
SM - 5X
yellow
12 per case
10 lbs.



QC350S

pants


serged seams
SM - 5X
yellow
12 per case
10 lbs.



QC500B

sleeves

bound seams
elastic ends
18"
yellow
100 pair/case
12 lbs.



TYCHEM[®] 4000

**BOUND SEAM COVERALLS,
SEALED SEAM COVERALLS, HOODS,
BOOT COVERS, AND APRONS**





Tychem[®] 4000 is the lightweight fabric that provides effective and economical protection against a broad range of chemicals. It's a laminate of Tyvek[®] spun bonded olefin by DuPont and Saranex[®] 23-P film from Dow Chemical. Tychem[®] 4000 protective garments are available with sealed seams and storm-flapped zippers. Available in white, Tychem[®] 4000 is the only Saranex[®] laminated material for which Dupont supplies permeation data and technical support.



SL120B

coverall



bound seams
zipper front
storm flap
open cuffs
SM - 5X
white
12 per case
10 lbs.



SL125B

coverall



zipper front
storm flap
elastic wrists
elastic ankles
SM - 5X
white
12 per case
12 lbs.



SL127T

coverall


sealed seams
zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
white
6 per case
6 lbs.



SL122B

coverall



bound seams
zipper front
attached hood
attached sock boots
elastic face
elastic wrists
SM - 5X
white
12 per case
10 lbs.



SL122T

coverall


sealed seams
zipper front
attached hood
attached sock boots
elastic face
elastic wrists
SM - 5X
white
6 per case
10 lbs.



SL125T

coverall

sealed seams
zipper front
storm flap
elastic wrists
elastic ankles
SM - 5X
white
6 per case
12 lbs.



SL127B

coverall

bound seams
zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
white
12 per case
12 lbs.






SL274B

apron


bib style
bound neck
bound ties
28" x 44"
white
50 per case
15 lbs.



SL278B

apron

long sleeves
elastic wrists
bound neck
bound ties
26" x 52"
white
12 per case
15 lbs.



TYCHEM® 6000

SEALED SEAM COVERALLS




Tychem® 6000 represents a remarkable step forward in the provision of individual protection for both armed forces and civilian populations in areas where chemical and/or biological warfare could take place, or where there is a risk of contamination from an industrial accident. Tychem® 6000 provides a tough and safe barrier to all known chemical warfare agents in liquid, gas or aerosol formats and represents the first simple, economic and disposable material for individual protection suits.



TF145T

coverall


sealed seams
respirator fit hood
storm flap
elastic wrists
elastic ankles
SM - 5X
white
6 per case
7 lbs.



TF169T

coverall

sealed seams
zipper front
respirator fit hood
attached boots
storm flap
elastic wrists
SM - 5X
white
6 per case
7 lbs.



TYCHEM® 9000

**TAPED SEAM COVERALLS,
FULLY ENCAPSULATING SUITS,
BOOT COVERS AND APRONS**





Tychem® 9000 Commander is yellow for high visibility. Whether there are bright or dim lights, Tychem® 9000 Commander can be seen. It offers tear, puncture and abrasion resistance garments, that are soft and lightweight, allowing workers to move with ease. Tychem® 9000 Commander is an excellent choice for HazMat teams.



BR125T

coverall



taped seams
zipper front
elastic wrists
elastic ankles
SM - 5X
yellow
2 per case
8 lbs.



BR127T

coverall



level A taped seams
zipper front
attached respirator
fit hood
elastic wrists
elastic ankles
SM - 5X
yellow
2 per case
8 lbs.



BR128T

coverall


taped seams
zipper front
attached respirator
fit hood
attached socks
elastic wrists
SM - 5X
yellow
2 per case
8 lbs.



BR527T

*fully
encapsulating
suit*


level B
sealed seams
front entry
expanded back
for SCBA
PVC faceshield
sock boots with
boot flaps
SM - 5X
yellow
1 per case
9 lbs.



BR528T

*fully
encapsulating
suit*


level A
sealed seams
rear entry
expanded back
for SCBA
PVC faceshield
sock boots with
boot flaps
SM - 5X
yellow
1 per case
9 lbs.



BR557T

*fully
encapsulating
suit*

level A
sealed seams
rear entry
flat back for
external air supply
PVC faceshield
sock boots with
boot flaps
SM - 5X
yellow
1 per case
9 lbs.



TYCHEM® 10000

**NFPA 1991, SEALED SEAM COVERALLS
AND SEALED SEAM FULLY
ENCAPSULATING SUITS**



Tychem® 10000 has excellent chemical barrier properties and high strength for enhanced durability. Developed for protection against toxic, corrosive gases and liquid chemicals, this high-performance chemical barrier fabric is suited for industrial, HAZMAT, and domestic preparedness applications.

TK527T

fully encapsulating suit



level B sealed seams
front entry
expanded back for SCBA
double storm flaps
40 mil PVC faceshield
elastic wrists
attached socks
w/ outer boot flaps
SM - 5X
lime yellow
1 per case
10 lbs.



TK528T

fully encapsulating suit


level B sealed seams
rear entry
expanded back for SCBA
double storm flaps
40 mil PVC faceshield
elastic wrists
attached socks
w/ outer boot flaps
SM - 5X
lime yellow
1 per case
10 lbs.



TK557T

fully encapsulating suit


level A sealed seams
rear entry
flat back,
PVC faceshield
1 exhaust port w/shroud
Tychem® Commander
glove ring system
attached socks
and boot flaps
SM - 5X
lime yellow
1 per case
10 lbs.



TK552T

fully encapsulating standard suit


level A sealed seams
fully encapsulated
front entry
vapor-protective suit
(level A)
flat back
sealed seam on
outside only
48" gas-tight zipper
double storm flap with hook and
loop closure
1.5" waist belt with 3 belt loops
attached sock boots with
boot flaps 40 mil PVC faceshield
Viton® gloves
2 exhaust valves
sewn (inside) and sealed
storage bag included
SM - 5X
yellow
1 per case / 10 lbs.
Also available as
rear entry style



TK554T

fully encapsulating deluxe suit


level A sealed seams
fully encapsulated
front entry
vapor-protective suit (level A)
expanded back
sealed seams inside and out
attached sock boots w/boot
flaps
1.5" waist belt with 3 belt loops
2 layer faceshield (10 mil Teflon®/
40 mil PVC)
double storm flap with hook and
loop closure
anti-reversing North® Butyl & Silver
Shield® gloves
48" gas-tight zipper
sewn (inside) and sealed
2 exhaust valves
storage bag included
SM - 5X
yellow
1 per case / 10 lbs.
Also available as
rear entry style



TK600T

NFPA 1991-2000 ensemble

level A sealed seams
fully encapsulated
front entry
Tychem Responder
inner suit (level A)
sealed seams inside and out
48" zipper; double storm
flap with Velcro®
3-layer faceshield (5 mil Teflon®/
40 mil PVC/20 mil PVC)
3-layer glove combination of Viton®
Neoprene EVOH film and outer
knit Kevlar®
attached sock boots
with boot flaps
expanded back
3 exhaust valves
includes aluminized
fiberglass overcover
storage bag included
SM - 5X
silver
1 per case
30 lbs.



TYCHEM[®] 10000



CONTINUED



TK127T

coverall



sealed seams
zipper front
attached hood
elastic wrists
elastic ankles
SM - 5X
lime yellow
2 per case
15 lbs.



TK128T

coverall

sealed seams
zipper front
attached respirator hood
elastic wrists
double storm flaps
attached sock boots
w/ outer boot flap
SM - 5X
lime yellow
2 per case
12 lbs.



RECLAIMED RAGS



Part Number:	RCC-100	RCG-100	RCR-100
Color:	White / No Print	Gray	Mixed Color
Materials:	100% Cotton	100% Cotton	100% Cotton
Quantity:	25 lb. box	25 lb. box	25 lb. box



HAN-D-WIPES™

Han-D-Wipes™ are made with special hydroentangling process in which a specially designed paper is “combined” with a unique polyester fiber through high pressure water bonding jets. The water is then squeezed out and dried in ovens. The end result is ideal for high performance wiping applications. These wipes have a cloth like performance with a paper like price. Han-D-Wipes™ are offered in blue and white, and are available in size 12x12. (Other sizes are available upon request.) (M+O)

Features:

1. Strong and durable, even when wet
2. Hold up to chemicals and do not fall apart
3. 1 pound of these wipes should yield about 60-70 wipes (12x12)
4. Do not contain any “binders”, latex, or glue
5. Wipe dry
6. Virtually lint free
7. Each and every wipe is new
8. Very absorbent
9. Pliable

Benefits:

1. Less wipes used
2. Last long during use
3. The per-wiper price is very cost effective
4. Clean without leaving residue or contamination behind
5. No streaking or water left behind
6. No excess contamination, paper fines, or other debris left behind
7. No stains, zippers, buttons or other contamination like many other rags
8. Less wipes are needed to complete the task
9. Easy to use to clean small crevasses or tough, small hidden areas



Part Number Cross Reference:

DANIEL		DUPONT™	LAKELAND
DanGuard™			
DSP120	P4	NG120	CTL412
DSP122	P4	NG122	CTL414
DSP125	P4	NG125	CTL417
DSP127	P4	NG127	CTL428
DSP300	P4	NG210	CTL140
DSP301	P4	NG212	CTL101
DSP303	P4		CTL201
DSP347	P4		CTL112
DSP350	P4		CTL301
DSP386	P5		CTL713
DSP440	P5		CTL901
DSP444	P5		CTL903
DSP445NS	P5		
DSP450	P5		
DSP470	P5	NG273B	CTL601
DSP471	P5		CTL603
DSP500	P5	NG500S	CTL850
DSP904V	P5		CTL904
DanGuardPlus™			
DGP120	P6		
DGP122	P6		
DGP125	P6		
DGP127	P6		
DanGuardComfort™			
DGC120	P7		
DGC122	P7		
DGC125	P7		
DGC127	P7		
DanSafe™			
40120	P8		
40122	P8		
40125	P8		
40127	P9		
40300	P9		
40301	P9		
40470	P9		
40500	P9		
40440	P9		
19440 _{-XL & 2XL}	P9		
40905V	P9		
SkidGuard™			
17440BL	P10		
17440WH	P10		
40445NS	P10		

DANIEL		DUPONT™	LAKELAND
DanKleen™			
20120	P12		
21120	P12		
20122	P12		
21122	P12		
20125	P12		
21125	P12		
20127	P12		
21127	P12		
20324	P12		
21324	P12		
21325	P12		
21347	P12		
FlashGuard™			
FGF122	P13		07414
FGF125	P13		07417
FGF127	P13		07428
ChemGuard™			
CGS120	P14		C5412
CGB120	P14		C55412
CGS125	P14		C5417
CGB125	P14		C55417
CGS428	P14		C5428
CGB428	P14		C55428
CGS414	P14		C5414
CGB414	P14		C55414
Polypropylene			
30120	P16	P1120S	C2412
31120	P16	P1120S	C2412
30122	P16		C2414
31122	P16		C2414
30125	P16	P1125S	C2417N
31125	P16	P1125S	C2417N
30127	P16		C2428N
31127	P16		C2428N
30300	P16		02140
31300	P16		02140
30301	P16		02901
31301	P16	P1212S	02901
30347	P16		
30440NS	P16		02901
31440NS	P16		02901





DANIEL		DUPONT™	LAKELAND
Food Handling			
30321	P17		801
31321	P17		801
30324	P17		
31324	P17		
11321	P17		
11324	P17		
30390	P17		877
BVH55	P17		
BV55	P17		
CPB62X	P17		
PE16W	P17		
PE16B	P17		
PE18W	P17		02850
PE18B	P17		02850
PE45B	P17		
PE55B	P17		
PE46W	P17		02601
PE46B	P17		02601
Tyvek® 400			
FC450S	P18	FC450S	901
FC454S	P18	FC454S	903NS
TY120S	P18	TY120S	01412
TY122S	P18	TY122S	01414
TY125S	P18	TY125S	01417
TY127S	P18	TY127S	01428
TY210S	P18	TY210S	01140
TY211S	P19	TY211S	
TY212S	P19	TY212S	01101
TY273B	P19	TY273B	601
TY303S	P19	TY303S	01201
TY350S	P19	TY350S	01301
TY450S	P19	TY450S	901
TY454S	P19	TY454S	903
TY500S	P19	TY500S	850-18
TY657S	P19	TY657S	713
Tychem® 2000			
QC120B	P20	QC120B	
QC120S	P20	QC120S	
QC120T	P20		
QC122B	P20	QC122B	
QC122S	P20	QC122S	
QC122T	P20		
QC125B	P20	QC125B	
QC125S	P20	QC125S	

DANIEL		DUPONT™	LAKELAND
Tychem® 2000			
QC125T	P21	QC125T	
QC127B	P21	QC125T	
QC127S	P21	QC127S	
QC127T	P21	QC127T	
QC273B	P21	QC273B	
QC275B	P21	QC275B	
QC303S	P21	QC303S	
QC350S	P21	QC350S	
QC500B	P21	QC500B	
Tychem® 4000			
SL120B	P22	SL120B	44412
SL122B	P22	SL122B	44414
SL122T	P22	SL122T	73150 (gray)
SL125B	P22	SL125B	44417
SL125T	P22	SL125T	72110
SL127B	P22	SL127B	44428
SL127T	P22	SL127T	73130 (gray)
SL274B	P23	SL274B	72735
SL278B	P23	SL278B	
Tychem® 6000			
TF145T	P23	TF145T	60132
TF169T	P23	TF169T	60151
Tychem® 9000			
BR125T	P24	BR125T	BR110
BR127T	P24	BR127T	
BR128T	P24	BR128T	BR150
BR527T	P24	BR527T	
BR528T	P24	BR528T	BR450
BR557T	P24		BR400
Tychem® 10000			
TK527T	P25	TK527T	TK440
TK528T	P25	TK528T	TK450
TK557T	P25	TK557T	
TK552T	P25	TK552T	TK620
TK554T	P25	TK554T	TK640
TK600T	P25	TK600T	TK645
TK127T	P26		
TK128T	P26	TK128T	

NOTE: This cross reference guide contains suggested Daniel Safety Products alternatives to Dupont® and Lakeland products. There may be more than one alternative for a given product. Use this chart as a guide only. It is the responsibility of the user to verify that the garment is appropriate for the user's specific application, including, but not limited to, verifying the chemical barrier performance of the proposed alternative product.

SIZING CHARTS



SEAM TYPES

serged seams

dry particulates

A serged seam joins two pieces of materials with a thread that interlocks. This is an economical stitching method for general applications. This stitching method is generally not used for chemical protective clothing. It is more commonly found on limited use clothing where dry particles are of a concern.



bound seams

light liquid


A sewn and bound seam joins two pieces of material with an overlay of similar material and is chain stitched through all of the layers for a clean finished edge. This provides increased holdout of liquids and dry particulates.



heat sealed seams *heat sealed seams plus*

liquid splash/chemical barrier

A heat sealed seam is sewn and then sealed with a heat activated tape. This method provides liquid proof seams, and is especially useful for Level A and B chemical protective clothing. Heat sealed seams plus is the strongest seam offered. This seam is sewn and then heat sealed on the outside and inside to offer the highest strength and chemical resistance.





Daniel Safety Products, Incorporated

TERMS AND CONDITIONS

PAYMENT TERMS

All payment for invoices are due 1% 10, Net 30 from the invoice date. A late payment charge equal to 1.5% a Month (18% a year) may be added to unpaid balances more than 30 days old.

FREIGHT

Prepaid freight applies to orders above \$2500.00. Freight paid orders applies to orders calling for a single shipment to a single destination within the lower forty-eight United States. Orders outside the lower forty-eight United States will be shipped to the destination point of exit. Less than prepaid orders will be prepaid and added to invoice.

RETURN POLICY

Returns must be made within 60 days of purchase date. Returns are subject to a 20% restocking charge and all return freight charges are the responsibility of the purchaser. Opened cases or partial cases are not eligible for return. Authorization from Daniel Safety Products must be obtained prior to returns.

WARNING

There are uses, environments and chemicals for which these garments and/or fabrics are unsuitable. It is the responsibility of the user to review available data and verify that the garment and/or fabric is appropriate for the intended use and meets all specified government and industry standards.

WARRANTY

Warranties for the products in the Daniel catalog are available from the original equipment manufacturers. Please contact customer service at 800-910-3891 for complete details. FlashGuard™, ChemGuard™, DanGuard™, DanGuardPlus™, DanGuardComfort™, SkidGuard™, DanSafe™ and DanKleen™ are trademarks of Daniel Safety Products. Tyvek®, Tychem®, Nomex® and KEVLAR® are registered trademarks of E.I. du Pont de Nemours and Company. Viton® is a registered trademark of DuPont Dow Elastomers. North Silvershield® is a registered trademark of North Safety.





DANIEL
SAFETY PRODUCTS

4039 Nixon Chapel Road | Albertville, AL 35950

Phone 256-878-1440 | Fax 256-878-8494 | Toll-Free 800-910-3891

www.danielsafetyproducts.com